

Design and Development of Hybrid Architecture Model Named Enhanced Mind Cognitive Architecture of pupils for Implementing the Learning Concepts in Society of Agents

D. Ganesha¹ and Vijayakumar Maragal Venkatamuni²

¹Bharathiar University, Department of (ISE), PVP Polytechnic, Dr.AIT campus Outer Ring Road, Malathahalli, Nagarabhavi, Bangalore – 560056, Karnataka, India; ganesh207d@gmail.com

²Department of Computer Science, Research Progress Review Committee[RPRC], Dr. Ambedkar Institute of Technology, Visvesvaraya Technological University, Bengaluru – 560056, Karnataka, India; dr.vijay.research@gmail.com

Abstract

This paper depicts the results of a simulation to exhibit the standards and emergent intelligence connected with artificial life. The Economic theory can be connected to artificial life with a specific end goal to analyze the hybrid model adaptive or intelligent behaviors. This research is concerned with the standards whereby an animated skillful for its assets, thus exhibits careful conduct. This approach necessarily requires the outline and trial of a scope of basic and complex computational agents. The created small scale specialists in a fungus world test bed are intended to explore artificial personalities for creatures and engineered operators, drawing on qualities found in the common personalities. Qualities, for example, level of basic leadership, its cost capacity and utility conduct (the microeconomic level), physiological and objective situated conduct are examined. Specialist practices can be investigated utilizing a wide range of measurements; for instance, metabolic action, rivalry and social association regarding environment and microeconomics.

Keywords:

1. Introduction

Each cognitive design can easily become considered as an embodiment of a methodical suggestion of (person and nonhuman, both animal and artificial) cognition. Cognitive architectures were designed to stay efficient in performing certain as well as functions found upon all of our knowledge of minds (Franklin, 1995, Newell & Simon, 1972, Davis, 2002). Intellectual research includes designing inside an amount out of ways like brilliant programs, thought, knowledge representation, and robotics. That the assessment out of intellectual architectures includes still started challenging. A few prevalent methods with different techniques need come applied towards building new architectures. Here were hundred examples concern-

ing intellectual architectures designed for the a variety of objectives by using with different aspects offered in countless procedures; to instance, ACT, Wahl & Spada, CRIBB, Bartsch & Wellman, SOAR, CHREST, CAMAL, EM-ONE, CogAff, Countless cognitive architectures plus paradigms will stay said inside feel model separate elements out of cognition, with separate purposes, using separators, as well as after various. To establish a better, furthermore a lot more intricate cognitive architecture, scientists must discover inside.¹ Their sufficient description to theoretic, develop additionally level concerning assorted architectures and also² all missing, common to generalized factors of relevant intellectual architectures. All building Society of Mind Cognitive Architecture et.al Venkatamuni expands that et.al Davis of CAMAL cogni-

*Author for correspondence

tive architecture along with more control levels making use of society to thinking furthermore metacognition methods. Intelligent behavior does become observed because the combined with a lot more straight forward behavior. Think of a simple reactive agent which will only step to the and collect a website as part of that the atmosphere. Strengthening excellent optimal or metacognition agent can't get over to just a website out of these types of easy agents, when they want to communicate as help in starting more professionals. Therefore, after one's viewpoint to Minsky, building one cognitive architecture requires some sort of progress out of lots of a variety of types of agents, among assorted behavior and functionality. Additional a website of an agents calls for an agents, in which work and at additional conceptual levels. As part of prescribe towards providing a really adaptable structure a "Society of Mind" specifications a peak cover catalyst such as metacognition. Metacognition is the reasonably brand new buzz word inside et.al Adkins, cognitive concept. Metacognition was explained that considering concerning thinking and also does stay looked at in couple approaches: Monitoring a group of professionals inside a reasonable or cognitive or automatic building (i.e. Self expression)

Achieving changes through adjusting great approaches is that crowd out of agents (i.e. metacontrol).

Agent behaviors do stay analyzed with various defined performance metrics; towards the case, upset valencing, (pseudo-) metabolic activity, competitors and social socializing with esteem towards the environment and microeconomics. Some sort of application concerning the economics of manufactured everyday life towards analyzing adaptive behaviors provides a coherent platform, starting an intellectual architecture across numerous amounts and types of development.

2. Related Works

2.1 Development and Training

On style downside do stay observed that your marketing downside inside what all of us become looking for the an appropriate set of criteria that which our very own needs become satisfied. Concerning hierarchical behavior-structured systems, really when ones Subsumption Architecture, we all are researching concerning per set to boundaries, it defines the inner functions out of behav-

ior modules as fine as specific network (framework) at all structure. Per close planning methodology to established agents must have actually ones following characteristics:

- 1) Uncover your appropriate additionally doing work pre-set of boundaries conveniently.
- 2) Work among hierarchical and multilevel choice-achieving architectures.
- 3) Manage with nonstationary environments.
- 4) Create standard and/or reusable elements.

Some traditional adaptation approaches undertake never offer this particular level of mobility. Concerning circumstances, mastering algorithms that are found in nearby search may certainly not discover a great treatment as part of a major then bumpy parameter space as well as can easily bring stuck at a regional maximum. This one is mostly authentic of policy- reinforcement knowing methods. Nonetheless, knowing methods does be comparatively swiftly at receiving many solutions equal at nonstationary surroundings, furnished in which that the discovering guidelines are established perfectly. On that the other control,

Evolutionary ways can easily typically find close remedies concerning the best issue chosen sufficient time. Nonetheless, old-fashioned transformative practices were long and do not really handle nonstationary environments really. Which means, these people were certainly not extremely best suited concerning your set agent that includes to get in touch conveniently towards updates as part of their place. Furthermore, some out of all of them do perhaps not build standard controllers, what is an important issue for building a reusable controller.

2.1 Training and Evolution

Actions-Based routine Design: around an owning really been a few works to use discovering to evolution to some extent automatize the building treatment for habit established systems. Some examples of knowing-structured techniques for behavioral-structured technique building consist of², which practiced discovering in order to alter firing precondition of manners modules.³ Proposed a learning process inside set habits components of the fixed-structured subsumption designs. In⁴, the two evolved your system for mastering an environment's topological map. As part of⁵ as well as⁶, they are worn molded reinforced stimulus indication to development estimator to

increase learning. Inside⁷, a memory-situated strategy had been utilized in order to select conduct modules. At⁸, these people applied one insurance policy-change system to choose the ideal greeting for the quadrupedal motive power. In⁹, an individual might discover one summary of a few works well it applies their discovering perspective towards form conduct-based systems. Artificial development includes additionally being taken in order to format located agents¹⁰. Couple good examples out of increased closely related duty are¹¹, and employed genetic development inside evolve SSA-like architectures at that the wall preceding task, then¹², what developed superimposed progressive evolution at an SSA-like architecture. This particular alternative performs tried in order to evolve the standard behavior-created systems.¹³ Offers the best present review to evolutionary. Getting virtue out of the suitable properties concerning development and discovering at one interchangeable manner is actually extremely desired. Truth be told, there are a couple researching exploiting that the good characteristics concerning evolution plus understanding, still the two will be certainly not extensive (notice¹⁴ for the one study concerning concepts to studying at transformative robotics). This item is deserving of pointing out that their technique, knowing is in most cases put as part of the transformative robotics framework are quite different starting exactly what are implied in your reinforcement knowing the framework¹⁵. At their organic process robotics literary works, mastering mostly pertains towards sensory net fat difference in one unsupervised (e.g., Hebbian rule) or supervised manner. Some sort of aim of discovering inside will evolutionary robotics written material is perhaps not customarily expressly formulated just as maximizing a few objectives of received success while looks inside reinforcement learning. At every strategy, we explicitly decide to try in order to maximize incentive objective, hence every knowing aspect are increased compared to the mainstream reinforcing stimulus mastering. But they might appear that defining the suitable treat signal is not really continuously easy, worthwhile services reinforcement mastering suggest your most of us may feature at explicitly formulating that life purpose concerning an agent since making the most of the functions concerning benefit (e.g., the ordinary or discounted sum of rewards) furthermore determining that worked out of all agents accordingly. That the comparable thought is to¹⁶ put the best nervous networks that are feature approximates towards reinforcement mastering. Conversely, instead of adjusting

one neural network, these people progressed the population of systems and modified personal parameters using reinforcement learning. Personal understanding is your development will choose a fix of the neural networks you allow the agent understand better. As part of its newspaper, we all suggest a building technique which importance starting each mastering and also evolution in addition in order to a culture-dependent encounter sharing procedure towards developing behavior-based architectures. That the feebleness of your suggested strategy is to preliminary shape looks shown in¹⁷.

2.3 Underpinning Mastering

Our format understanding method is actually formulated because the encouragement discovering challenge. In will appropriate paragraphs, most of us quickly submit reinforcing stimulus discovering not running entering highlights. Interested visitors can recommend towards¹⁸ plus¹⁹.

Encouragement training was a numerical framework concerning the consecutive plan-making problems. On purpose happens to be deciding that the optimal fix concerning whenever an agent is positioned in a random atmosphere. Most of us summarize this framework through giving an example. Suppose we desire towards form a humanoid robot using soccer. That the robot shows individual detector, including the camera and a microphone, is used to take note on surrounding. We have established their objective since using hockey furthermore scoring needs to that the opponent, plus people seeks a policy which leads towards this particular aim.

3. Proposed System

Synthetic psyche does feel observed just as the controls build towards your self-directed apps representative. Forerunners, really, becauseet.al Selfridge Newell and Simon, McCarthy, Minsky, Baars, Franklin Sloman, Anderson, Nason and Laird, have nearly all regarded procedure possibilities out of the psyche after that the point concerning manufactured representatives. Whatever psychological feature (or sure enough procedure) structure can easily try to be regarded because sometimes the individual representative or perhaps the big collecting concerning representatives. Online is truly a long lifetime record concerning the presenting psyche because the range out of representatives (or demons), online

dating return inside Selfridges's Pandemonium make et.al Selfridge, The current model attempts to explain aspects of mind as a collection of agents. The architecture being developed for the enhancement of the et.al Davis, Venkatamuni, can be viewed from a number of perspectives. One leads to developing many different types of simple agents, with different behaviors. These agents are distributed across different layers of architecture, so as to cover all processing and functioning associated with the adopted model of mind.

The EMCAP (Enhanced Mind Cognitive Architecture of Pupils) has been designed and implemented as six layers; i.e. reflexive, reactive, deliberative (including BDI models), learning (Q-learner), metacontrol and metacognition; and three major columns: perception, intention, and reasoning; the latter is partitioned into effect, cognition and motivation. This approach leads to the development of many different agent behaviors. For example the presently working architecture has six reflexive behaviors, eight reactive behaviors, fifteen deliberative behaviors, nineteen perceptual behaviors, fifteen learning behaviors, thirty metacontrol behaviors and seventy seven metacognition behaviors. Each behavior is modelled as an agent. Indeed, from an extreme perspective on a distributed model of mind as a control system, there may exist any number of, sometimes randomly created, reflexive, reactive, BDI (Belief, Desire, and Intention) agents, deliberative, perceptual, learner (Q learning), metacontrol, and metacognitive agents. The designs of the individual agents are discussed in the next sections




Figure 1. Architectural design of EMCAP²⁴.

That the and medication. All entities impact representatives with endeavor positioning or physiologic changes. That the representatives inside claims connect inside their

focus levels, and their biochemical system. That the representative makes use of focus as part of moving that the place, and/or ends up being nonmoving provided in which levels achieves absolutely no. Around are really desiring limitations (typically that the representative does change) inside find out either they is truly focused-famished or possible inside suffer from your focus shortage as part of carrying out the routine. That the expert replenishes it is focused after collecting fungi. That the representative cannot really consider until eventually accumulated either that the fungi was some sort of accepted infection, the limited outcropping (among lower power avoidance) or weak fungi. Weak fungi boost that the biochemical motor levels. Some sort of biochemical system (or calorie burning) controls the way great focus that the representative needs every handling interval as well as for every external procedure. Some sort of representative (usually) likes to try to be in condition out of minimum calorie burning, nevertheless this particular fancy another desire limitations does feel preset through that the representatives Meta control procedures... Damaged infection boosts that the metabolic process starting lower towards average inside extreme, although medication (even towards become revealed as part of that the atmosphere) diminishes that the metabolic process. Generally there is really the range concerning tested criteria for the test concerning a great representatives biochemical generator as well as practice overall performance. Per amounts out of kinds out of representatives (haphazard, self-referent, activated, apprentice and BDI-versions, Meta control and Meta knowledge) include bringing out inside this particular research (Venkatamuni, 2008).

3.1 Objective Dependent Conduct to the Endeavor Website

Goals: single out of (that preset by just per deliberative representative uncover some sort of neighborhood website through personal travel time; choose the particular movement to the nearby site; drive to the website; provided absolutely no website in some sort of perceptual number trigger self-referent behavior. Each building towards really fungi tested means 7 countless activated representatives. Algorithm1 summaries precisely routine website (precious metal, ore, component) activated representatives operate. Comparable methods happened to be posted for the physical algorithm funds (fungi plus medication). That the deliberative BDI establishes that

concerning both the responsive handling elements are definitely effective depending inside some sort of objectives the actual complete structure efforts towards please.

3.2 Deliberative Range

Deliberative relates towards any other your body whoever productivity was not really solely motivated through it is in sight and existing condition, however, further through it is earlier shows as well as expresses out of other techniques. Inside another phrase the deliberative routine was any whoever production is truly oriented over your extensive memory space further in which out of it is acquired existing condition.




Figure 2. BDI as well as personal controls arbres (K-lines).

Deliberative representatives skimp on their 3rd level out of that the dispensed intellectual structure revealed inside Figure 2. Their create out of deliberateness components towards their fungi tested means 5 countless kinds out of BDI (opinion-need- purpose) representatives. Some sort of BDI representatives understand typically out of some sort of activated or perhaps self-referent control components include lively corresponding on each needs any complete structure efforts inside fulfill. Wildlife oriented small (deliberative) representatives inside the fungi worldwide tested include competent out of singing countless jobs associated towards concepts concerning synthetic economic science. Every BDI (opinion- need-goal) make has actually per countless set concerning interconnected possibilities inside make the selected objective. All plans include whether routine associated or even representative-interior website associated. Every single BDI representative uses all the sensitive practices inside almost every action formulated upon applying guidelines

plus determination specifics. For the illustration determine 4 illustrates BDI-Ore (BDI1) which determines as well as manages each combined out of sensitive-fungi, responsive-ore, and also sensitive-wonderful-ore and activated-medication behaviors; BDI5 representative chooses plus regulates the actual blend preset concerning sensitive-fungi, activated-medication as well as reflexive pronoun behaviors. In the particular situation applied throughout decide 4, the very BDI representatives establish what kind of concern all the responsive or perhaps self-referent regulates components are really lively depending towards all the objectives the very representative endeavors towards please. These types of objectives are really associated on sometimes undertaking info or the particular representative's interior position.

4. Experiments With EMCAP

The fungus world tested is implemented using Prolog and developed using cognitive and engineering perspectives. The fungus world environment has been created to have both dynamic and static features. The static feature can be specified to create a particular configuration of the environment. Strong plus performance (Table 1). Resource variables as part of all market consist to: (1) requirement Candida; (2) tiny Candida; (3) poor particular fungus; (4) ore; (5) golden ore; (6) crystal and (7) medication. The infection looks a nutrient concerning each agent. Both typical fungi grant a representative 10 fuel models. Initially, each representative has the established focus degree. For the bolt actions, that agent needs a fixed quantity of fuel models. Assuming will strength level (nutrients and vitamins) reaches 0, your representative might die. Will smaller fungus brings an agent 5 potential models. Provided your expert consumes one tiny fungus, 5 energy units (default) is included in that stamina storage. Their terrible Candida maintains 0 stamina units. If that agent consumes bad fungi, things get null energy. Furthermore, damaging fungus increases the k-calorie burning rate, as well as changes some sort of metabolism concerning the representative inside that tested. Their range of medication decreases each metabolic process. Their metabolic effect tries simply opposite you're out of their choice out of terrible fungus

The collecting out of ore is each ultimate aim concerning each representative. Every single representative crowd has been trying to attain since a great deal ore that fea-

sible as part of their location. In their equivalent point, an agent has in order to maintain some sort of energy quality necessary in real time in the environment. Initially, the collection looks 0, as well as one particular value was included as soon as collecting every single piece of ore. A collection of golden ore raises that the performance out of excellent rep. An individual bit of golden ore is equivalent in order to several standard ore models. Collecting concerning crystal boosts on presentation concerning agent by the feature that was double which concerns classic ore.

Table 1. Variables concerning fungus worldwide setting

Parameter	Default	Type	VALUE
Bad Fungus	Increases the energy level by 0 energy unit, to live environment	Numeric	0
Ore	Increases the Performance by 1	Numeric	1
Fungus	Increases the energy level by 10 energy unit, to live environment	Numeric	10
Small Fungus	Increases the energy level by 2 energy unit, to live environment	Numeric	5
Energy and Storage	Stores the energy based on Consumption of Fungus, Small Fungus, and Bad Fungus	Numeric	N/A
Medicine	Increases the performance by Decreasing metabolism	Numeric	0
Crystal	Crystal Increases agent Performance 2 times more than ore	Numeric	2
Golden ore	Golden Ore increases the agent performance 5 times More than an ore	Numeric	5
High Metabolism	Agents use energy at 5 unit per cycle	Categorical atom	55
Low Metabolism	Agents use energy at 1 unit per cycle	Categorical atom	1
Cycle	Agent consumes the energy	Categorical	1 OR 2 OR 5 energy units
Medium metabolism	Agents use energy at 2 unit per cycle	Categorical	2

Their ambiance helps that moving out of one's some kinds concerning agents within their design, in which both representative makes use of an assorted kinds of guidelines as well as components. At these types of experiments, one optimum of 50 agents had been explained. All research was done among their same criteria for that existence of fungi (like traditional, little, as well as), ore (including standard as well as a golden fractional monetary unit) then one equivalent things (like difficulties). Each occasion degree, then greatest cycles had been stored nonstop through creating some sort of equivalent design of agent as part of every experiment. In order to examine their results for every single representative, you as a result of statistics were collected: life anticipation, Candida consumption (like typical infection, simple Candida furthermore bad fungus), ore (normal ore and golden ore), amazingly accumulated and also metabolism. Will lifestyle expectancy or ageing concerning all agent looks noted, together with will agents death (or age range after each ending out of the greatest cycles or duration). That the representatives accomplish functioning will certainly get determined by amount of methods

(ore, wonderful ore and crystal) gathered, as well as built upon lifestyle expectancy. That the representation studies had been accomplished several days alongside some sort of unchanging preliminary setup, plus the result chart was produced by receiving a mean of ten simulation researches. Review One (Systematic comparison of many representatives)

This particular try things out compared their performance to agents, including a few grades in one SMCA architecture. Each representative was particularly starting that the population concerning agents during that level as that the really (from in which level) to collect Ore. The life expectancy and also ore is collecting for the self-referent, activated, pupil and BDI agents were compared.




Figure 3. Efficiency of EMCAP (Enhanced Mind Cognitive Architecture of pupils) increases quality inside higher range representatives.

Their outcomes to this test (Figure 3) tell that BDI system representative preserves higher amount of life expectancy than other simpler agents. Self-referent agents gathered 16% concerning ore, while reactive agents accumulated 26%, simple-learning representatives accumulated 57% as well as BDI agents maintained inside acquire 80%. Their BDI representatives operated a better quality of lifetime anticipation at 72.5%, than reflexive (26%), activated (36.5%) and knowing representatives (41%), overall recurring try things out. Case2: Discovering and also Controls: It experiment reviewed a BDI representative to the utter handle device (EMCAP representatives) along with the reflexive learner. The EMCAP BDI representatives were created using the principles of artificial economics, applied on top of deliberative elements like as premium function, optimal decision generating and

move boundary specifics. The learner agent blended with exact same self-referential behaviors (as utilized in their BDI representative) along with the learning level. As indicated in




Figure 4. BDI representative manages in order to be living upwards to 438 lifestyle methods.

Your knowledge (self-referent-scholar) agent, sole managed inside are living increase in order to 110 life methods as part of that the fungus infection world environment. The artificial business, economics built small 18 compounds illustrates a control mechanism suitable controlling an electric level out of the designated threshold with their choice variables; as well as striving to manage the equivalent series for the greatest occasion of its everyday life action. Their agents exhibit optimal move making potential almost that the investment bond.

5. Conclusion

This research particular can easily behave like per single compound demonstrate perfect desire creating then sensible behavior. Will control unit are manufactured in order to operate using metrics connected alongside that maxim concerning manufactured economics. Attributes that when amount to desire making, its prime objective and also electric behavior (the macroeconomic level), physiological and intent oriented behaviors are put together across your architecture the use of an affect mechanism described elsewhere (Davis, 2008). All micro agents combine to make one full manage mechanism for the managing pseudo-physiologic inner claims such because focus level and calorie burning. Determination making capabilities more than determining variable boundaries helps such micro agents towards taking part as part of habits in order to utilize their particular layout to behav-

ior through respect inside that they apply out of electricity and time. That's the complete structure outperforms its component (sensible subparts) in control concerning that the two non-complementary habits of energy replenishment (fungus consumption) plus goal-oriented behavior (e.g. the collection of ore). Their usage of metacognition includes the strong thought in the mind researching it can be utilized in a society concerning agents for controls, and personal-reflection. In the end, this study grants a evident road map of experiments, to build a society to mind approach in order to cognize making use of metacognition concepts (such as norms) just that tend to be in order to be found inside the wider contexts concerning the cognitive.

5. Reference

1. Baxter J, Bartlett PJ. Infinite-horizon gradient-based policy search. *Journal of Artificial Intelligence Research*. 2001; 15:319–50.
2. Maes P, Brooks RA. Learning to coordinate behaviors. In the *Proceedings of the eighth National conference on Artificial Intelligence (AAAI)*. 1990 Jul 29–Aug 3; 2:796–802.
3. Mahadevan S, Connell J. Automatic programming of behavior based robots using reinforcement learning. *Artificial Intelligence*. 1992; 55:311–65.
4. Matari'c MJ. Integration of representation into goal-driven behavior based robots. *Institute of Electrical and Electronics Engineers (IEEE) Transactions on Robotics Automation*. 1992 Jun; 8(3):304–12.
5. Matari'c MJ. Reward function for accelerated learning. In the *Proceedings of 8th International Conference on Machine Learning*; 1994. p. 181–9.
6. Matari'c MJ. Reinforcement learning in the multirobot domains. *Autonomous Robots*. 1997; 4(1):73–88.
7. Michaud F, Matari'c MJ. Learning from history for behavior-based mobile robots in non-stationary conditions. *Autonomous Robots and Machine Learning*. 1998 Jul–Aug; 31(1–3):141–67.
8. Kohl N, Stone P. Policy gradient reinforcement learning for fast quadrupedal locomotion. In the *Proceedings of the Institute of Electrical and Electronics Engineers (IEEE) International Conference on Robotics Automation(ICRA)*. 2004; 3:2619–24.
9. Matari'c MJ. Learning in behavior-based multirobot systems: Policies, models, and other agents. *Cognitive System Research (Special Issue on Multidisciplinary Studies of Multiagent Learning)*. 2001; 2(1):81–93.
10. Floreano D, Mondada F. Evolution of homing navigation in a real mobile robot. *Institute of Electrical and Electronics*

- Engineers (IEEE) Transactions on System., Man, Cybern. 1996 Jun; 26(3):396–407.
11. Nolfi S, Floreano D. Learning and evolution. *Autonomous Robots*. 1999; 7(1):89–113.
12. Sutton RS, Barto AG. Reinforcement learning: an introduction. Cambridge, MA: MIT Press; 1998.
13. Whiteson S, Stone P. Evolutionary function approximation for reinforcement learning. *The Journal of Machine Learning Research*. 2006; 7:877–917.
14. Farahmand AM, Ahmadabadi MN, Lucas C, Araabi BN. Hybrid behavior co-evolution and structure learning in behavior-based systems. In the Proceedings of Institute of Electrical and Electronics Engineers (IEEE) International Conference on Evolutionary Computation (CEC), Vancouver, BC, Canada; 2006. p. 275–82.
15. Bertsekas DP, Tsitsiklis JN. *Neuro-dynamic programming*. Belmont, MA: Athena Scientific; 1996.
16. Parker L. ALLIANCE: An architecture for fault-tolerant multirobot cooperation. *Institute of Electrical and Electronics Engineers (IEEE) Transactions on Robotics Automation*. 1998 Apr; 14(2):220–40.
17. Sutton RS, Barto AG. Reinforcement learning: an introduction. Cambridge, MA: MIT Press; 1998.
18. Adkins J. *Metacognition: Designing for transfer*. University of Saskatchewan, Canada; 2004.
19. Alonso E, Mondragó E. Agency, learning and animal-based reinforcement learning. In: *Agents and Computational Autonomy Potential, Risks, and Solutions*, Lecture Notes in Computer Science, Springer Berlin/Heidelberg. 2004; 2969:1–6.
20. Anderson J. *Rules of the mind*. Lawrence Erlbaum Associates, Hillsdale, NJ; 1993.
21. Baars BJ. *A cognitive theory of consciousness*. The Neurosciences Institute, San Diego, California, Cambridge University Press, New York; 1988.
22. Bartsch K, Wellman H. Young children's attribution of action to beliefs and desires. *Child Development*. 1989; 60:946–64.
23. Bedau MA. Artificial life: organization, adaptation, and complexity from the bottom up. *Trends in Cognitive Science*. 2003; 7(11):505–12.
24. Braitenberg V. *Vehicles, experiments in synthetic psychology*. MIT Press; 1984.
25. Brooks RA. *Cambrian intelligence: the early history of the new AI*. Cambridge, MIT Press; 1999.
26. Cox MT. Metacognition in computation: a selected research review. *Artificial Intelligence*. 2005; 169(2):104–41.
27. Davis DN. Computational architectures for intelligence and motivation. 17th Institute of Electrical and Electronics Engineers (IEEE) International Symposium on Intelligent Control; 2002 Oct 30. p. 520–5.
28. Davis DN. Architectures for cognitive and A-life agents. *Intelligent Agent Software Engineering*; 2003. p. 22.
29. Plekhanova V editors. IDEA group publishing. Davis DN. Linking perception and action through motivation and affect. *Journal of Experimental and Theoretical Artificial Intelligence*. 2008; 20(1):37–60.
30. Diestel R. *Graph theory 3rd edition*. Springer-Verlag GmbH, Berlin, New York; 2005. p. 431.
31. Flavell JH. (1979). Metacognition and cognitive monitoring: A new area of cognitive developmental inquiry. *American Psychologist*. 1979; 34(10): 906–11.
32. Franklin S. *Artificial minds*. MIT press; 1995.
33. Franklin S. Autonomous agents as embodied AI. *Cybernetics and Systems*. 1997; 28(6):499–520.
34. Gobet F, Lane PCR, Croker S, Cheng PCH, Jones G, Oliver I, Pine JM. Chunking mechanisms in human learning. *Trends in Cognitive Science*. 2001; 5:236–43.
35. Kahneman D, Miller DT. Norm theory: Comparing reality to its alternatives. *Psychological Review*. 1986; 93(2):136–53.
36. McCarthy J. Programs with common sense. In the Proceedings of the Teddington Conference on the Mechanization of Thought Processes, Her Majesty's Stationery Office, London; 1959.
37. McFarland T, Bosser T. *Intelligent behavior in animals and robots*. MIT press, Massachusetts; 1993.
38. Minsky M. *The society of mind*. Simon and Schuster, New York; 1985.
39. Nason S, Laird JE. Soar RL integrating reinforcement learning with soar. *International Conference on Cognitive Modeling (ICCM 2004)*, Cognitive Systems Research, Science Direct. 2005 Mar; 6(1):51–9.
40. Newell A. *Human problem solving*. Prentice-Hall, NJ, USA; 1972.
41. Newell A. *Unified theories of cognition*. Cambridge, MA: Harvard University Press; 1990.
42. Rolls ET. *The brain and emotion*, Oxford University Press; 1999.
43. Savage T. The grounding of motivation in artificial animals: indices of motivational behavior. *Cognitive Systems Research*. 2003; 4:23–55.
44. Selfridge OG. *Pandemonium: A paradigm for learning*. Proceedings of Symposium on the Mechanization of Thought Processes, London; 1959.
45. Singh P. EM-ONE: Architecture for reflective common-sense thinking [PhD thesis]. MIT, USA; 2005.
46. Sloman A. How to think about cognitive systems: requirements and design. *DARPA Workshop on Cognitive Systems*, Warrenton, Virginia, USA; 2002 Nov 3–6.
47. Stillings N. *Cognitive science*. Cambridge, MA: MIT Press; 1995.

48. Sutton RS, Barto AG. Reinforcement learning: an introduction. MIT Press, Cambridge, MA; 1998.
49. Tesfatsion L, Judd K editors. Handbook of computational economics, volume 2: agent-based computational economics. Handbooks in Economics Series, North-Holland, Elsevier, Amsterdam, the Netherlands; 2006.
50. Thorndike EL. Animal intelligence: experimental studies. Macmillan, New York; 1911.
51. Toda M. Design of a fungus-eater. Behavioral Science. 1962; 7:164–83.
52. Venkatamuni MV. A society of mind approach to cognition and metacognition in a cognitive architecture [PhD thesis]. UK, University of Hull; August 2008.
53. Wahl S, Spada H. Children's reasoning about intentions, beliefs and behaviour. Cognitive Science Quarterly. 2000; 1:5–34.
54. Yoshida E. The Influence of implicit norms on cognition and behaviour [MA thesis]. Canada: University of Waterloo; 2007.